


Self Build Sign System



Technical Specification & Codes

SIGNAGE SYSTEM

www.ashbytrade.net
+44 (0) 118 981 5343

Bannerspring & BannerFast


As an extension to the Point of Sale range, Ashby Trade Sign Supplies offers three bespoke banner mounting systems designed to display large format media.

Bannerspring uses Wind Spilling technology to prevent banners tearing and brackets turning by flexing with the wind to relieve the pressure applied by high winds.

Bannerfast is a wall mounted heavy duty banner display system manufactured with strong post brackets; cable stay fixing kits to offer increased strength and durability.


Please note that all prices are supplied in component form only, carriage charges and VAT have not been included.

Ashby Trade Sign Supplies is a manufacturer, designer and distributor of signage systems. Open longer for our customers' convenience, our products can be purchased either as components, partly finished or fully finished systems.




BANNERSPRING

BannerSpring is a two part cast aluminium bracket. The two parts are joined by a steel spring which allows the poles to move away from each other without the fixed part moving away from the surface it is mounted to. This spring loaded construction reduces the wind loading on banners by up to 88%. A complete Bannerspring system consists of two, two part brackets.



BANNERFAST 90


Our heavy duty projecting banner system comprises two welded base plate projecting brackets with an additional post that enables a banner to be mounted and retained perpendicular to the mounting surface. After mounting the bracket arms the system is tensioned with two rigging screws located on the lower of the two bracket arms. It comes with an optional cable stay kit to increase the integrity of the overall system, recommended for use with banners in excess of 800mm in width. Sets are built in house and are made to order, so please allow 3-5 days for manufacture.



BANNERFAST 180

Similar in design to the bannerfast 90°, Bannerfast 180° projects perpendicular to the wall but with the banner sitting in parallel. This system is suited for large banners.

Comprising four welded projecting brackets and three aluminium poles, banners are looped over the upper most pole, and tensioned via two rigging screws mounted between the two lower post. Sets are built in house and are made to order, so please allow 3-5 days for manufacture.



FIXINGS

A comprehensive list of all non-specific system components that are used throughout the range.

All Items sold are subject to the Standard Trading Terms for **Ashby Trade Sign Supplies Ltd.**
Copy on request or viewable at www.ashbytrade.net


Prices are correct at the time of printing and may be subject to change.

SIGNAGE SYSTEM

www.ashbytrade.net
+44 (0) 118 981 5343

Paint References
White is Ral 9016 (Traffic White)
Black is Ral 9005 (Jet Black)









BannerSpring Bracket (Suitable for banners up to 700mm x 3000mm)
SPRINGB

PRODUCT	CODE	MATERIAL	MAX BANNER WIDTH	FINISH
BannerSpring Bracket (2 Units)	SPRINGB	ALUMINIUM	850mm	Black (RAL 9005)
Info:	The system does not include a banner and can be sold separately			



DIAGRAM TO SHOW THE WIND SPILL OF THE BANNERSPRING.



SIGNAGE SYSTEM



SIGNAGE SYSTEM



Components
2x 50mm posts with Wall Plate
1x 50mm Post
6x M6 Nut Inserts (NIM6THIN)
2x Rigging Screws (BFRIGSCREW)
2x M6 Dome Bolts (M6DOME20)
4x M6 Eyelets (M6EYE)

Support Cables are sold as components


BannerFast 90 (No Support)
BF90BPC*** / BF90BWEC*** / BF90PWEC***

PRODUCT	CODE	MATERIAL	TO SUIT BANNER WIDTH	FINISH
500mm BannerFast 90 (Plastic Caps)	BF90BPC0.5	ALUMINIUM	500mm	Black
600mm BannerFast 90 (Plastic Caps)	BF90BPC0.6		600mm	Black
700mm BannerFast 90 (Plastic Caps)	BF90BPC0.7		700mm	Black
800mm BannerFast 90 (Plastic Caps)	BF90BPC0.8		800mm	Black
900mm BannerFast 90 (Plastic Caps)	BF90BPC0.9		900mm	Black
1000mm BannerFast 90 (Plastic Caps)	BF90BPC1.0		1000mm	Black
1100mm BannerFast 90 (Plastic Caps)	BF90BPC1.1		1100mm	Black
1200mm BannerFast 90 (Plastic Caps)	BF90BPC1.2		1200mm	Black
1300mm BannerFast 90 (Plastic Caps)	BF90BPC1.3		1300mm	Black
1400mm BannerFast 90 (Plastic Caps)	BF90BPC1.4		1400mm	Black
1500mm BannerFast 90 (Plastic Caps)	BF90BPC1.5		1500mm	Black

PRODUCT	CODE	MATERIAL	TO SUIT BANNER WIDTH	FINISH
500mm BannerFast 90 (Welded Caps)	BF90BWEC0.5	ALUMINIUM	500mm	Black
600mm BannerFast 90 (Welded Caps)	BF90BWEC0.6		600mm	Black
700mm BannerFast 90 (Welded Caps)	BF90BWEC0.7		700mm	Black
800mm BannerFast 90 (Welded Caps)	BF90BWEC0.8		800mm	Black
900mm BannerFast 90 (Welded Caps)	BF90BWEC0.9		900mm	Black
1000mm BannerFast 90 (Welded Caps)	BF90BWEC1.0		1000mm	Black
1100mm BannerFast 90 (Welded Caps)	BF90BWEC1.1		1100mm	Black
1200mm BannerFast 90 (Welded Caps)	BF90BWEC1.2		1200mm	Black
1300mm BannerFast 90 (Welded Caps)	BF90BWEC1.3		1300mm	Black
1400mm BannerFast 90 (Welded Caps)	BF90BWEC1.4		1400mm	Black
1500mm BannerFast 90 (Welded Caps)	BF90BWEC1.5		1500mm	Black

Info: The system does not include a Banner or Support Kit and can be sold separately
Note: Stock RAL colours are available on request


Please Note that this product will require 3-5 working days for Manufacture.



Banner (Sold Separately)
Please contact the sales team for information on how to manufacture the banners to fit our Bannerspring & Bannerfast Systems.

BannerFast 90
BF90BPC*** / BF90BWEC*** / BF90PWEC***
We recommend fixing the top BannerFast Pole to the wall first, then connecting the banner to the other poles.
You can then fix the bottom pole with a small amount of tension on the banner and then adjust the tension using the M6 rigging screws.
Add your support cable once in place (Optional).

SIGNAGE SYSTEM




- Components**
3x 50mm posts
4x Wall Brackets
6x M6 Nut Inserts (NIM6THIN)
2x Rigging Screws (RIGSCREW)
4x M6 Grub Screws (GSM0608)
2x M6 Dome Bolts (M6DOME20)
4x M6 Eyelets (M6EYE)

BannerFast 180
BF180BPC*** / BF180BWEC*** / BF180PWEC***


PRODUCT	CODE	MATERIAL	TO SUIT BANNER WIDTH	FINISH
500mm BannerFast 180 (Plastic Caps)	BF180BPC0.5	ALUMINIUM	500mm	Black
600mm BannerFast 180 (Plastic Caps)	BF180BPC0.6		600mm	Black
700mm BannerFast 180 (Plastic Caps)	BF180BPC0.7		700mm	Black
800mm BannerFast 180 (Plastic Caps)	BF180BPC0.8		800mm	Black
900mm BannerFast 180 (Plastic Caps)	BF180BPC0.9		900mm	Black
1000mm BannerFast 180 (Plastic Caps)	BF180BPC1.0		1000mm	Black
1100mm BannerFast 180 (Plastic Caps)	BF180BPC1.1		1100mm	Black
1200mm BannerFast 180 (Plastic Caps)	BF180BPC1.2		1200mm	Black
1300mm BannerFast 180 (Plastic Caps)	BF180BPC1.3		1300mm	Black
1400mm BannerFast 180 (Plastic Caps)	BF180BPC1.4		1400mm	Black
1500mm BannerFast 180 (Plastic Caps)	BF180BPC1.5		1500mm	Black

PRODUCT	CODE	MATERIAL	TO SUIT BANNER WIDTH	FINISH
500mm BannerFast 180 (Welded Caps)	BF180BWEC0.5	ALUMINIUM	500mm	Black
600mm BannerFast 180 (Welded Caps)	BF180BWEC0.6		600mm	Black
700mm BannerFast 180 (Welded Caps)	BF180BWEC0.7		700mm	Black
800mm BannerFast 180 (Welded Caps)	BF180BWEC0.8		800mm	Black
900mm BannerFast 180 (Welded Caps)	BF180BWEC0.9		900mm	Black
1000mm BannerFast 180 (Welded Caps)	BF180BWEC1.0		1000mm	Black
1100mm BannerFast 180 (Welded Caps)	BF180BWEC1.1		1100mm	Black
1200mm BannerFast 180 (Welded Caps)	BF180BWEC1.2		1200mm	Black
1300mm BannerFast 180 (Welded Caps)	BF180BWEC1.3		1300mm	Black
1400mm BannerFast 180 (Welded Caps)	BF180BWEC1.4		1400mm	Black
1500mm BannerFast 180 (Welded Caps)	BF180BWEC1.5		1500mm	Black

Info: The system does not include a Banner and can be sold separately
Note: Stock RAL colours are available on request
Please Note that this product will require 3-5 working days for Manufacture.




SIGNAGE SYSTEM



11mm ScrewBand Handpack (10m)
SBHANDYPACK

Comes Complete with
25x Captive Housing Units
CHS




11mm Screwband with CHS
SB18/SB24/SB36

PRODUCT	CODE	MATERIAL	LENGTH
11mm ScrewBand Handpack	SBHANDYPACK	STEEL	10.00m
11mm Pre Manufactured ScrewBand with CHS	SB18		460mm
	SB24		610mm
	SB36		915mm




M6 Eyebolts (C/W nut)
M6EYE




Eyeplate (6mm thick eye)
BFEYEPLATE

PRODUCT	CODE	MATERIAL	FINISH
M6 Eyebolts	M6EYE	STEEL	Silver
Eyeplate	BFEYEPLATE		Silver



M6 Rigging Screw
BFRIGSCREW



5mm Quick Link
BFQUICKLINK5




3mm Steel Rope Thimble
BFTHIMBLE3




3mm Ferrules
BFFERRULE3

PRODUCT	CODE	MATERIAL	FINISH
M6 Rigging Screw	BFRIGSCREW	STEEL	Silver
5mm Quick Link	BFQUICKLINK5		Silver
3mm Steel Rope Thimble	BFTHIMBLE3		Silver
3mm Ferrules	BFFERRULE3	COPPER	Natural



3mm Steel Wire Rope
BFROPE3

PRODUCT	CODE	MATERIAL	LENGTH	FINISH
3mm Steel Wire Rope	BFROPE310	STAINLESS STEEL	10m	Silver
	BFROPE3100		100m	Silver




12mm Sleeve Anchor
12MMSLEEVE75/12MMSLEEVE125

PRODUCT	SIZE	CODE	MATERIAL	FINISH
12mm Sleeve Anchor	M12 x 75mm	12MMSLEEVE75	STEEL	Zinc Plated
	M12 x 125mm	12MMSLEEVE125		Zinc Plated

SIGNAGE SYSTEM

Paper Size Guide

Size	Millimetres
A6	105mm x 148mm
A5	148mm x 210mm
A4	210mm x 297mm
A3	297mm x 420mm
A2	420mm x 594mm
A1	594mm x 841mm
A0	841mm x 1189mm



British SWG (Standard Wire Gauge) Table

SWG	Millimetres	SWG	Millimetres
7/0	12.700mm	23	0.610mm
6/0	11.786mm	24	0.559mm
5/0	10.973mm	25	0.5080mm
4/0	10.160mm	26	0.4572mm
3/0	9.449mm	27	0.4166mm
2/0	8.839mm	28	0.3759mm
0	8.230mm	29	0.3454mm
1	7.620mm	30	0.3150mm
2	7.010mm	31	0.2946mm
3	6.401mm	32	0.2743mm
4	5.893mm	33	0.2540mm
5	5.385mm	34	0.2337mm
6	4.877mm	35	0.2134mm
7	4.470mm	36	0.1930mm
8	4.064mm	37	0.1727mm
9	3.658mm	38	0.1524mm
10	3.251mm	39	0.1321mm
11	2.946mm	40	0.1219mm
12	2.642mm	41	0.1118mm
13	2.337mm	42	0.1016mm
14	2.032mm	43	0.0914mm
15	1.829mm	44	0.0813mm
16	1.626mm	45	0.0711mm
17	1.422mm	46	0.0610mm
18	1.219mm	47	0.0508mm
19	1.016mm	48	0.0406mm
20	0.914mm	49	0.0305mm
21	0.813mm	50	0.0254mm
22	0.711mm		


Feet to Millimetres Table

Feet	Millimetres	Feet	Millimetres
1	304.80mm	11	3352.8mm
2	609.60mm	12	3657.6mm
3	914.40mm	13	3962.4mm
4	1219.2mm	14	4267.2mm
5	1524.0mm	15	4572.0mm
6	1828.8mm	16	4876.8mm
7	2133.6mm	17	5181.6mm
8	2438.4mm	18	5486.4mm
9	2743.2mm	19	5791.2mm
10	3048.0mm	20	6096.0mm

Inches to Millimetres Table

Inches	Millimetres	Inches	Millimetres
1	25.400mm	15	381.00mm
2	50.800mm	16	406.40mm
3	76.200mm	17	431.80mm
4	101.60mm	18	457.20mm
5	127.00mm	19	482.60mm
6	152.40mm	20	508.00mm
7	177.80mm	21	533.40mm
8	203.20mm	22	558.80mm
9	228.60mm	23	584.20mm
10	254.00mm	24	609.60mm
11	279.40mm	25	635.00mm
12	304.80mm	26	660.40mm
13	330.20mm	27	685.80mm
14	355.60mm	28	711.20mm

Viewing Distances



This should be used as a guide as this can vary with text styles, colours and contrasts.

Ashby[™]
Trade Sign Supplies

Ashby Trade Sign Supplies Ltd
Unit 1
Hatch Industrial Park
Basingstoke
RG24 7NG

Registered in England No. 1439528

Tel: 0118 981 5343
sales@ashbytrade.co.uk
www.ashbytrade.net

Registered Office: As Above